

PRASAR BHARATI (BROADCASTING CORPORATION OF INDIA) OFFICE OF THE ADDL.DIRECTOR GENERAL (ENGG)(WZ) ALL INDIA RADIO & DOORDARSHAN MUMBAI – 400 020



No. ENGP: (300 KW MW DRM TR, Rajkot) /11TR/2018-19

Dated. 06/09/2019

Corrigendum

<u>SUB:</u> Miscellaneous Repair /renovation work of Self Radiating 182 m , 300 KW MW Mast at All India Radio Rajkot.

Tender clause	For	Read as
Schedule of	Labour charges for replacement of	Labour charges for replacement of existing
requirement point no.5	existing guy wire ropes with above	guy wire ropes with above supplied ropes
	supplied ropes as per existing	as per existing arrangement on the MW
	arrangement on the MW Mast at Six	Mast at Six levels (3 Nos of Ropes at each
	levels (3 Nos of Ropes at each levels).	levels). Sufficient extra length of at least
	Sufficient extra length of at least 6M	6M has to be left at ground anchoring end.
	has to be left at ground anchoring end.	All existing guy insulators are to be re-
	All existing guy insulators are to be	utilized. If any insulator is found to be
	re-utilized. If any insulator is found	defective / damaged it shall be replaced
	to be defective / damaged it shall be	by a new one, supplied by the
	replaced by a new one, supplied by	department.
	the department.	
		All RF chokes will be replaced by new
	All RF chokes will be replaced by	one, and same will be provided by AIR.
	new one, and same will be provided	Existing guy wire link termination at each
	by AIR.	of the guy insulators ends are to be
	Existing guy wire link termination at	replaced by identical ferruling type
	each of the guy insulators ends are to	fasteners. Two Numbers of ferruling has to
	be replaced by identical ferruling type	be done at each place Ferule should
	fasteners. Two Numbers of ferruling	confirm to IS 10942:2000 and
	has to be done at each place. Ferule	manufactured from Aluminium alloy to
	fasteners should be of hot dip	designation 52000 of IS 1285. All
	Galvanized type. All additional	additional fastener materials like bolt, nut
	fastener materials like bolt, nut and	and split pin, bull dog grips, clamps etc
	split pin, bull dog grips etc used must	used must be of hot dip galvanized only.
	also be of hot dip galvanized only.	Ferruling fasteners used in each guy
	Ferruling fasteners used in each guy	section including the straining screw
	section including the straining screw	should be designed to withstand 80% of
	should be designed to withstand 80%	breaking load strength of main guy
	of breaking load strength of main guy	rope. Suitable locking arrangement also
	rope. A sample breaking load test for a	is to be made to avoid the slipping of
	new fabricated guy is to be shown to	ferruling and guy straining screw under
	the indentor. Complete guy wire	
	assembly from Mast to Ground	storm condition by providing clamps as
		back up measures in addition to
	Anchoring has to be prepared on	ferruling. A sample load test for 80% of
	ground as per existing arrangement on	breaking load strength of main wire for
	Mast. After testing each of the guy	03 metre test piece of all type of wire
	wire for maximum tension, if possible,	rope with one ferrule crimping is to be
	complete guy wire rope assembly have	shown to the indentor. Complete guy
	to be hoisted from the Mast to the	wire assembly from Mast to Ground
	ground. Provision shall be available to	Anchoring has to be prepared on ground as
	adjust at site the total length of each	per existing arrangement on Mast. After
	guy to take care of relative variations	testing each of the guy wire for maximum
	in the ground level at the mast end and	tension, if possible, complete guy wire
	guy anchor points as per actual	rope assembly have to be hoisted from the
	conditions.	Mast to the ground. Provision shall be
	At the Mast end the anchoring has to	available to adjust at site the total length of

	carry out using existing plates / arrangement on the tower. Before dismantling each of the guy wire rope, Poly Propylene Rope (25mm or 1 inch Dia) Garware make has to be hoisted between Mast and ground	each guy to take care of relative variations in the ground level at the mast end and guy anchor points as per actual conditions. At the Mast end the anchoring has to carry out using existing plates / arrangement on the tower. Before dismantling each of the guy wire rope, Poly Propylene Rope (25mm or 1 inch Dia) Garware make has to be hoisted between Mast and ground.
General terms and conditions point no.9	PRE-DISPATCH INSPECTION: The stores/material/equipment guy ropes of size 22mm dia, 19mm dia, 16mm dia, bulldoggips, thimbles, split pin, sockets, ferrules, nut and bolt and fastners will be inspected by the indentor or his authorised representative at manufacturers work before dispatched as specified in specification and in accordance with standard specified in the tender.	PRE-DISPATCH INSPECTION: The stores/material/equipment guy ropes of size 22mm dia, 19mm dia, 16mm dia, will be inspected by the indentor or his authorised representative at manufacturers work before dispatched as specified in specification and in accordance with standard specified in the tender. For Bulldogrips, thimbles, split pin, sockets, ferrules, nut and bolt and fastners OEM test certificate is mandatory. The material will be inspected at site by the indentor or his authorised representative. After getting clearance from the indentor or his authorised representative, the material can be used for mast repair work.

Schedule of requirement point no.5 change is also applicable for filling price bid and technical bid. All other terms and conditions of the tender document will remain the same.

(Sanjay Bodele)
Director(Engineering)
For Additional Director General (E)(WZ)
Tel. No. (022) 22053528

Email ID- ddgairprojectwz@gmail.com