

प्रसार भारती PRASAR BHARATI (Broadcasting Corporation of India)

दूरदर्शन महानिदेशालय

Directorate General: Doordarshan दुरदर्शन भवन, कोपरनिक्स मार्ग,

Doordarshan Bhawan, Copernicus Marg

नई दिल्ली - ११०००१ New Delhi - 110 001

File No. 19(2)2018-19E1 (P) TV

Dated: 22.01.2019

Subject: Draft Specification for Supply of 32 x 32 Routers at 11 Earth Stations.

The Draft specification of the upcoming tenders is enclosed herewith to offer comments, if any by due date at e-mail address ddpurchase401@yahoo.co.in or on following Address:

Assistant Engineer

Room No. 403,

Directorate General: Doordarshan,

Doordarshan Bhawan,

Copernicus Marg,

New Delhi -110001 (India)

Telephone: 011-23387620

Specification For: Draft Specification for Supply of Supply of 32 x 32 Routers at 11 Earth Stations.

Specification no: SATD/ Routers /11 Nos./Jan_2019 dated 15/01/2019

Due Date to offer Comments: 07.02.2019

Encl.: As above

Prabhat Kumar Singh Assistant Engineer

For DG: DD

Prasar Bharati Directorate General: Doordarshan Doordarshan Bhawan: Copernicus Marg New Delhi-110001

Specification for "Supply of 32 x 32 routers at 11 Earth Stations"

Specification No.: SATD/Routers/11 Nos./Jan_2019

Date: 15/01/2019



Specification No.: SATD/Routers/11 Nos./Jan_2019

Technical Specification for Supply of 32 x 32 routers at 11 Earth Stations Locations (Jallandhar, Shimla, Ahmadabad, Bhopal, Bhubaneswar, Chennai, Jaipur, Jammu, Kolkata, Lucknow, Thiruvananthapuram)

Index

1.	Introduction:	3
2.	Scope:	3
3.	Eligibility Criteria:	3
4.	General requirement for completing the offer:	
5.	Technical Specifications of 32 X 32 HD/SD-SDI/ASI Routers:	5
6.	Physical, Environmental & Mechanical Specifications	6
7.	Complement of Equipment:	7
8.	General	8
8.1	General	8
8.2	Documentation	9
8.3	Guarantee	
8.6		
8.7	Check List and Enclosures	
	nexure-I Suggestive Bill of Material (BOM)	14
Anı	nexure II CERTIFICATE FOR AUTHORIZATION	10
Anı	nexure III CERTIFICATE FOR GUARANTEE	.,.1′
Anı	nexure IV CERTIFICATE FOR AFTER SALES SERVICE SUPPORT	18

Specification No.: SATD/Router/11 Nos./Jan_2019

1. Introduction:

This document lays down technical specifications for Supply of 11 sets of 32x32 HD/SD-SDI/ASI Routers for Earth Stations at 11 Locations namely, DDK Jallandhar, Shimla, Ahmadabad, Bhopal, Bhubaneswar, Chennai, Jaipur, Jammu, Kolkata, Lucknow and Thiruvananthapuram.

10000

2. Scope:

- 2.1 The scope of the tender shall include "32 x 32 HD/SD-SDI/ASI router alongwith one XY Control panel and two single bus remote control panels, one set each at Jallandhar, Shimla, Ahmadabad, Bhopal, Bhubaneswar, Chennai, Jaipur, Jammu, Kolkata, Lucknow and Thiruvananthapuram for use in existing input chain of Satellite Earth Station equipment and existing monitoring system at each of the 11 Earth Stations".
- 2.2 The base band signals received directly from MSR through existing OFC receiver will be brought up to the existing patch panel, then from patch panel to input of offered HD/SD-SDI/ASI router, from output of offered HD/SD-SDI/ASI router to patch panel and finally from patch panel to input of existing encoders. In addition, part of the router would also be used in the monitoring chain of all input equipment, downlink chain, compression and RF equipment alongwith other associated existing equipment.
- 2.3 The offered system shall meet the International standards for digital satellite broadcasting.
- 2.4 The offered system would also include the standard accessories supplied by the Manufacturer along with the 32 x 32 HD/SD-SDI/ASI routers.

3. Eligibility Criteria:

- 3.1 The bidder should be the original equipment manufacturer (OEM) of 32 x 32 HD/SD-SDI/ASI routers or their authorized representative/dealer in India.
- 3.2 Bidders shall offer 32 x 32 routers with one XY Control panel and two single bus remote control panels of only those OEMs who are having past experience of at least Five years of manufacturing and supplying similar routers.
- 3.3 OEM should meet the following eligibility criteria:
 - 3.3.1 The OEM of 32 x 32 routers must have experience of supplying at least 50 numbers or more of offered router to reputed broadcasters in the past five years.
 - 3.3.2 Copies of supply orders and receipt certificates/delivery challans/dispatch certificates in respect of above said quantity of 32 x 32 routers in the



preceding past five year should essentially be submitted along with the bid document.

- 3.4 In case bidder is the authorized representative/dealer of 32 x 32 routers, it should be in the business of sales and supply of broadcast Equipment for at least past three years. Copies of orders and completion certificates/delivery challans/dispatch certificates to support this must be provided.
- 3.5 The bidder must have his local office/authorized representative/dealer in India for after sales support.
- 3.6 The cutoff date for the experience shall be the date of NIT.

4. General requirement for completing the offer:

- 4.1 The bidder shall submit only one solution (Single BOM) for the offered system. Bid with multiple options against any requirement is liable to be rejected.
- 4.2 The offered equipment and accessories including software should be from internationally reputed manufacturer and the quoted model should be of high class, high MTBF, field proven and in use by leading broadcasters/organizations in various continents of the World. Any customized product which is not field proven in the industry will not be acceptable.
- 4.3 All software being offered, are to be licensed to Doordarshan on perpetual basis without specifying any time limit or without specifying any end of life of the software. Software upgrades within warrantee period will have to be supplied free of cost.
- 4.4 For facilitating maintenance issues, bidder must also submit firm's self certified copies of Bill of Entry/Custom Invoice of all imported items to DG: DD for release of PBG.
- 4.5 The installation, testing and commissioning of the equipment supplied at site will be done by Doordarshan as per procedure laid down in the installation manual of equipment. The installation manual should also include list of Do's & Don'ts and step by step procedure for configuration etc. Bidder must submit copy of the installation manual alongwith the bid.
- 4.6 The local office/authorized representative/dealer in India will be nodal point for resolving issues, related to installation, integration, configuration, testing, commissioning and after sales support. Details of OEM office and its location are to be provided along with bid.
- 4.7 **Testing and Commissioning at site**: Site Acceptance Test (SAT)

- 4.7.1 The 32 x 32 routers shall be installed, configured, tested and commissioned at site by Doordarshan as per the instructions contained in the manufacturer's installation manual.
- 4.7.2 However, the local representative of the OEM/bidder shall be responsible for resolving any issues related with installation, configuration, testing and commissioning of the 32 x 32 routers. If required, local representative of the OEM/bidder may also arrange the visit of OEM Engineer at site.
- 4.8 In the process of technical evaluation Doordarshan can ask for any clarification/ query as required through e-mail/FAX/Post etc, which shall be treated as a part of tender and invariably attended and replied by the bidder within the time stipulated therein.
- 4.9 Bidder may have to demonstrate the features of equipment offered as and when asked as part of technical evaluation of Tender. However it will not bestow any right of acceptance of the bid.
- 4.10 Cross reference in respect of supporting documents, should be given with proper page number and volume no. etc. If required Doordarshan may also ask for any other supporting document to ascertain the claim of bidder and their OEM.

5. Technical Specifications of 32 X 32 HD/SD-SDI/ASI Routers:

A. General

32x32 HD/SD-SDI/ASI Routing switcher should be very reliable and able to be used for selection of any one of the 32 HD/SD-SDI/ASI input signals to 32 different destinations. The equipment offered should be for 24x7 use in Broadcast applications. The router has to be quoted with one XY and two single bus (X) control panels.

B. Essential features

(a)	The routing switcher electronics should be capable of being mounted in a standard 19" rack frame.
(b)	The routing switcher shall handle HD/SD-SDI/ASI signal for routing from input to output destinations. The switching should take place during the vertical interval period.



(c) ·	The routing switcher shall pass SD-SDI with embedded audio,
	HD-SDI with embedded audio (including Dolby Digital (AC-3)
	5.1, Dolby digital plus 5.1 & Dolby E audio) and ASI signal for
	routing from input to output destinations of their respective port.
(d)	The routing switcher should have storage facilities for control
	information, so that in case of power supply failure, the status of
	the switcher output should remain unchanged after the power
	supply is restored.
(e)	The routing switcher should have auto-switchable redundant
	power supplies.
(f)	The routing switcher should have redundant cross points.
(g)	The routing switcher should have redundant controller/logic
	cards.
(h)	The routing switcher quoted against this specification should be
	complete in all respect and should have the desired features.

C. Technical Specification

(a)	Matrix size	32 HD/SD-SDI/ ASI inputs.
		32 destinations (output buses) output HD/SD-
		SDI/ASI
(b)	Input	SDI (BNC 75 ohms) SMPTE 259-M, SMPTE
		292M, MPEG-2 TS over DVB ASI
(c) (Equalization	Automatic:
		150 Meters at 270 Mbps,
. p. and 0.00 (0.00) (1.00)		100m at 1.5 Gbps
		for Belden 1694 or equivalent cable
(d)	Output	HD/SD-SDI/ASI for each 32 destinations; BNC;
		75Ω 800 mV±10%, SMPTE 259-M, SMPTE
		292M
(e)	Return Loss	Should be maintained better than 15 dB upto
	₽	1.5Gbps throughout the switching chain.

6. Physical, Environmental & Mechanical Specifications

6.1 Power Supply

Equipment shall operate from a wide range of power supply voltages without interruption or damage.

Parameter	Specification
(a) Voltage Range	220/240 V AC nominal
(b) Frequency	48-52 Hz

6.2 Environmental Specifications

Parameter	Specification		
(a) Operating Temperature (Indoor)	0°C to 40°C		
(b) Storage Temperature	- 20°C to 70°C		
(c) Humidity (Indoor) non-condensing	0 to 85%		
(d) Altitude	0 to 2000 m		

6.3 Mechanical Specifications

Offered equipment shall be rack mounted.

Parameter	Specification	
(a) Construction	Modular approach, EIA	RS-310C,
	19" rack-mount	

7. Complement of Equipment:

- 7.1 The quantity, make and model/part no. of all the equipment should be clearly mentioned in the offered Bill of Material (BOM).
- 7.2 The suggestive Bill of Material (BOM) has been provided in Annexure-I. The bidder is required to provide the complete list of equipment, software and accessories etc. offered to meet the specifications requirement. The quantity of each item including sub-module etc. are to be specified clearly and compulsorily, failing which the bid is liable to be rejected summarily.
- 7.3 Any substandard equipment included in the offer may result into the rejection of complete offer with the sole responsibility of bidder.
- 7.4 The offer should also include the detailed technical brochure and technical manual containing all the technical specifications of all the offered equipment, accessories, and software etc.
- 7.5 General specifications applicable to the equipment have been given in Clause No. 5.

113

8. General

8.1 Compliance and Authorization:

- 8.1.1 The bidder must submit a point-by-point compliance statement in respect of all the points, sub-points and clauses laid down in this specification from page 1 onwards along with the offer.
- 8.1.2 In addition to the above, compliance from the OEM of offered equipment on their letter head should necessarily be given, with reference to the points, sub-points and clauses laid down in the technical specifications.
- 8.1.3 The OEM's authorization (not from representative) should also be given on their letter head along with bid in the format prescribed in Annexure II.
- 8.1.4 Mere signature on a copy of Doordarshan specifications shall not be accepted as a compliance statement.
- 8.1.5 Compliance statement in the format as indicated below shall only be accepted.

Sr. No. of DD specs.	DD Specs. Compliance (Yes/No)	Performance fig. of equipment offered.	Deviations, in case of non- compliance	Optional items if any required to make the system Compliant to DD specs.	Features in the system offered Which exceed DD specs.	Page No.	Remarks
1							
2							

8.1.6 The manufacturer should also record the performance figures of the equipment offered in the quote for which the compliance statement is enclosed.



- 8.1.7 The compliance statement should be supported by highlighted record of these in the technical literature/data sheets enclosed with the tender and a clear reference to the attached supporting document should be given in the remarks column against each & every specs. Any offer without proper supporting document of each & every specs and containing only a commercial hand out/pamphlet is liable to be rejected.
- 8.1.8 Data sheets/ relevant technical literature should be submitted in respect of offered equipment. Any deviation from the specification detailed in the compliance statement is to be highlighted separately. Page no. of location of data sheet should be given in page no. column above.
- 8.1.9 Offers without proper & duly completed compliance statement are likely to be rejected with the sole responsibility of bidder and no further claim/ correspondence will be entertained.

8.2 **Documentation**

- 8.2.1 One set of technical manuals/relevant technical literature for the equipment are to be provided along with the tender to facilitate the technical evaluation, otherwise the tender is liable to be ignored.
- 8.2.2 The Technical literature would include Installation Manual and Operation & Maintenance manual.
- 8.2.3 The successful bidder will have to supply set of printed technical manuals along with factory test report of the offered equipment.
- 8.2.4 Technical Manual for all equipments should also be supplied on CD/DVDs with search facility.
- 8.2.5 All offered software should be in the name of Doordarshan and should have perpetual validity. All software backups should also be supplied on CD/DVDs.
- 8.2.6 For facilitating maintenance issues, the bidder must submit the firm's self certified copies of Bill of Entry/Bill of Laden/Custom Invoice of all imported items to DG:DD at the time of release of PBG.

8.3 Guarantee

- 8.3.1 The manufacturer shall guarantee satisfactory working of the offered 32 x 32 HD/SD-SDI/ASI routers without any fault and defect for three years from the date of receipt of last accepted consignment at respective consignee's premises.
- 8.3.2 Any defect or failure of any module/equipment during the guarantee period shall be repaired/replaced free of charge by the successful bidder at site. For repairing of any defective module/equipment during guarantee period, the defective module/equipment requiring repairs will be handed over to local office/local authorized representative/dealer who will arrange repairs locally at site or send/export the defective modules to OEM factory and re-import/send back after repairs.
- 8.3.3 It is the responsibility of local office/Authorized representative/ dealer of the bidder to arrange the repair/ replacement of faulty items for Doordarshan i.e. transportation charges would not be paid by DD for transporting the defective/ repaired items, if required to be removed from site, during the guarantee period.
- 8.3.4 Guarantee period is to be extended corresponding to the outage period if the failure rectification takes more than 15 days time.
- 8.3.5 Bidder shall provide the guarantee/warrantee through the OEM. A certificate duly signed by the OEM on the OEM's letterhead, in this regard of offered 32x32 routers must be submitted with the offer by the bidder in the format as prescribed in Annexure III.
- 8.3.6 After sales service support for additional 2 (TWO) years for the repairs/maintenance of offered equipment after the completion of guarantee/warrantee period shall also be provided by the OEM of the offered equipment either directly or through his representative in India. In this regard a certificate, duly signed by the OEM on the letterhead, must be submitted with the offer by the bidder.
- 8.3.7 The successful bidder will be responsible for providing after sales support of all the offered equipment for Five years from the date of receipt of last accepted consignment at respective consignee's premises including three (3) years warranty period. The bidder must submit undertaking for providing after sales support for additional Two (2) years after the end of warranty period along with bid.



8.3.8 If bidder is not the OEM of the offered equipment, then after sales service support for the repairs/maintenance for 3 years warranty period and for 2 years after the completion of guarantee/warrantee period shall also be provided by the OEM either directly or through its representative in India. A certificate, on the letterhead, in this regard duly signed by the OEM must be submitted with offer by the bidder in the format as prescribed in Annexure V.

8.4 Inspection:

- 8.4.1 All the equipment to be supplied against the supply order for this tender shall be subjected to pre-dispatch inspection in India by Doordarshan. The successful bidder should produce the factory test reports of all the offered equipment to facilitate inspection.
- 8.4.2 The inspection of equipment will be carried out by a team of Doordarshan authorized by Doordarshan Directorate. A draft copy of ATP (Acceptance Test Procedure) must be submitted by the bidder within one month of issue of A/T. ATP should describe the standard test procedure of individual equipment. The factory test report will not be treated as ATP. The accepted ATP with or without changes shall be sent back to the successful bidder and it will also be used for inspection and commissioning of equipment by DD Engineer(s) at site.

8.5 Delivery Period

Four months from the date of issue of purchase order.

8.6 Pre-bid Conference

- 8.6.1 A pre bid conference on technical Specifications and other issues shall be held on date and time specified in the NIT. All prospective bidders may attend the pre bid conference to discuss their queries and suggestions.
- 8.6.2 All the queries and suggestions should be sent to Doordarshan at least 2 days before the date of pre bid conference. No queries/ suggestions shall be entertained after pre bid conference.
- 8.6.3 Amendments subsequent to the pre bid conference shall be sent to prospective bidders, who have purchased tender document, by mail/fax/ post.

109

8.6.4 It shall be bidder's responsibility to check for any amendments/addendum on the website before submitting their duly completed bids.

8.7 Check List and Enclosures

The bidders may ensure the following check list while submitting the bid including some important list of enclosures for ease of technical evaluation.

- 8.7.1 Whether documents related to fulfilment of the eligibility criteria as per Clause 3 have been submitted.
- 8.7.2 Whether point-by-point compliance statement of the bidder in respect of all the points, sub-points and clauses laid down in this specification from page 1 onwards along with the offer as given in Clause 8.1.1 has been included.
- 8.7.3 Whether point-by-point compliance statement of OEM in respect of all the points, sub-points and clauses as laid down in the specification of respective equipment and their authorization mentioned in Clause 8.1.2 have been included. Authorization and Compliance Statement from OEMs will only be acceptable and not from the authorized dealer of the OEMs.
- 8.7.4 Whether the authorisation has been submitted in the prescribed format as given in Clause 8.1.3.
- 8.7.5 Ensure that all equipment and accessories as given in the Suggestive bill of material have been included in the offered BOM.
- 8.7.6 Whether the page numbers of the relevant enclosed technical data sheet/manual against each parameter of the specifications have been given in the compliance statements.
- 8.7.7 Whether the requisite undertakings for after sales support by OEMs and bidder have been submitted.
- 8.7.8 Ensure that no alternate item has been offered.
- 8.7.9 Ensure that the installation manual, relevant technical brochures containing all the parameters of technical specifications of all the offered equipment and accessories have been included with proper indexing for ease of identification.

- 8.7.10 Ensure that the Un-priced BOM has been included.
- 8.7.11 Any other item mentioned elsewhere in the tender.



Annexure-I

Suggestive Bill of Material (BOM)

For Providing 32 x 32 HD/SD-SDI/ASI routers at 11 Earth Stations Locations (Jallandhar, Shimla, Ahmedabad, Bhopal, Bhubaneswar, Chennai, Jaipur, Jammu, Kolkata, Lucknow, and Thiruvananthapuram)

Sr.	Description of Item as per	Descriptio	Qty. per	Total	Make	Model	D1
No.	Specification of them as per	n of Item	site		Make	Model	Remarks
110.	(Suggestive BOM)	20	Site	Qty.			
	(Suggestive BOW)			as per			
		by Bidder		suggesti)·		
				ve			
				BOM			
1	32 x 32 Router			*	1		
a)	32 x 32 HD/SD-SDI/ASI router	A.	1 Set	11 Sets			
*	with one XY Control panel and						
	two single bus remote control			. ****			
	panels.						
b)	Any other item found essential to		1 Lot	11 Lots			
	meet DD specifications.						
	Note: If offered, bidder must			ÿ			
	provide the detail.						
2	Equipment manuals consisting		1 Lot	11 Lots			
	of:						
a)	Installation, Operation/User						
	Manual Hard copy and Soft copy						
	on CDs with Search facility for						
	all the supplied equipment. (2						
	Sets for each Kendra, 1 Set for		-				
	DG:DD and 1 Set each for						
	ADG(NZ), ADG(SZ), ADG(EZ)						
	and ADG(WZ))					•	
b)	All software backups are to be						
	supplied on CDs.		·				
3	Training		-				
a)	In India: One day on site training		1 Lot	11 Lots			
	(including		1 LOt	11 LOIS			
	Theoretical (alongwith basic						
	study material) & Practical						
	training, hands on experience) on						
	32x32 Router for Doordarshan						
	Sansa Router for Dourdaishall						.



personnel at each site. (Note:		T
Training will not be treated as		
part of the delivery period)		





OEM's LETTER HEAD

CERTIFICATE FOR AUTHORIZATION

Date:						
Tender N	No. :					
			 •		· · · · · · · · · · · · · · · · · · ·	<name< th=""></name<>
and M/s	Address			do Bidder's na	me>, havi	authorize ag its office at
1 4 4	1 1 1 1 1					's address> to
by us aga Signature	inst the above	e tender.				product offered
Name of	the OEM, the OEM					

Annexure III

OEM's LETTER HEAD

CERTIFICATE FOR GUARANTEE

Date:	te:		
Tende	nder No. :		
	, M/s address of the OEM>, do hereby confirm that:		<name< th=""></name<>
sir an	The offered 32 x 32 HD/SD-SDI/ASI router along single bus remote control panels shall be guarante any fault and defect for three years from the consignment at respective consignee's premises.	ed for satisfactory wor	rking without
2. Ar rep mo rec of or	Any defect or failure of any module/equipment drepaired/replaced free of charge at site. If module/equipment during guarantee period, the requiring repairs will be handed over to M/s office/local authorized representative/dealer> who or send/export the defective modules to our factors.	For repairing of and the defective module of the defective and re-import/services.	or equipment ame of local locally at site and back after
3. It au Do de	It is the responsibility of M/sauthorized representative/dealer> to arrange the re Doordarshan i.e. transportation charges are not to defective/ repaired items, if required to be remove period.	pair/ replacement of fa be paid by DD for tra	ulty items for insporting the
4. G	Guarantee period of the equipment would be experiod if the failure rectification takes more than 1	tended corresponding 5 days time.	to the outage
5. A of all	After sales service support for additional 2 (TWO of Earth Station equipment after the completion also be provided by M/s	O) years for the repairs of guarantee/warrantee e of the OEM of the 3 Name of OEM's rep	e period shall 32x32 router> resentative in
su 6. A	submitted with the offer by the bidder. All offered software will be licensed to Doord specifying any time limit or without specifying e upgrades within warranty period will be supplied to	larshan on perpetual and of life of the softw	basis without
C:			
Name Name	gnature		
	TD/Routers/11 Nos./Jan_2019		Page



No.

OEM's LETTER HEAD

CERTIFICATE FOR AFTER SALES SERVICE SUPPORT

Date:			
Tender No.:			
additional Two (2) completion of three (3	OEM>, do hereby confirm years for the repairs/maint B) Years guarantee/ warrante ized dealer/service provide mentioned below:	enance of offer ee period shall b	red products after the e provided through our
Name of the	After sales & support	Telephone/	Email of concerned
authorized person	office address	Fax	personnel
		(790) A(0)	
Signature			
Name & Designation	of authorized signatory of th		
	of authorized signatory of th		

Annexure V

BIDDER's LETTER HEAD

DECLARATION BY THE BIDDER

1. Bill of Material (BOM)

4.

[Yes/No]

2. Bidder's compliance (As per specs clause no. 8.1.1)

[Yes/No]

3. The copy of Dealer Possession License in case of possession of RF equipment (as per clause no. 3.6)

[Yes/No]

Copy of the Memorandum of Understanding (MOU) (if any) of

[Yes/No]

partnership (as per clause no. 3.7)

5. OEM Compliance for following equipment from respective OEMs (as per clause no. 8.1.2):

			0 77 7 11
S.	Name of equipment	Name of OEM	OEM compliance
No.	AND CO.		submitted (Yes/ No)
	32x32 HD-SD/SDI/ASI Router		

6. Certificate for Authorization for following equipment from their respective OEMs:

S.No.	Name of equipment	Name of OEM	Authorization certificate submitted (Yes/No)
i.	32x32 HD-SD/SDI/ASI Router		

7. Certificate for Guarantee for following equipment from their respective OEMs:

S.No.	Name of equipment	Name of OEM	Guarantee certificate submitted (Yes/ No)
i.	32x32 HD-SD/SDI/ASI Router		

8. Certificate for After sales service support for following equipment from their respective OEMs:

101

S.No.	Name of equipment	Name of OEM	After sales service support certificate submitted (Yes/No)
i.	32x32 HD-SD/SDI/ASI Router		(105/110)

9.	Datasheet for	the offered	equipment:
----	---------------	-------------	------------

[Yes/No]

i. ii.

Signature		
Name & Designation of authorized signatory	y of the bidder	· • • • • • • • • • • • • • • • • • • •
Name of the Bidder		••••••
Stamp of the bidder		••••••

