



प्रसार भारती/ PRASAR BHARATI

भारत का लोक सेवा प्रसारक/ INDIA'S NATIONAL PUBLIC SERVICE BROADCASTER आकाशवाणी महा निदेशालय /DIRECTORATE GENERAL: ALL INDIA RADIO योजना और विकास एकक आकाशवाणी भवन, संसद मार्ग, नई दिल्ली-110001 P & D UNIT, AKASHVANI BHAWAN, SANSAD MARG, NEW DELHI-110001 क्रिय अनुभाग /PURCHASE SECTION]

No. 01(34)11/NIT-32/2019-D(P)/

Dated: 30.08.2019

Sub:- Reply to queries / requests of the firms.

Reply of the queries / requests in the letters received from the firms are as follows:

- Tender No. 12(30)01/ 2019-D(P)/ 658/ D(P-S) Cell for the Supply, Erection, Testing and Commissioning (SETC) of FM Combiners & RF Cables etc. at Jaipur-
- A. M/s. Harriban Broadcasting and Communicating LLP letter No. HBB/DG:AIR/190730 dated 01.08.2019 –
- B. M/s. WEBEL Letter No. WEBEL:WML:TENDER:AIR:045/2019 dated:02.08.2019 -
- C. M/s Arraycom (India) Ltd letter No. AIL/AIR/ QSC-703/2K19 dated 21.08.2019 -

Reply of DG:AIR - No change / amendment in Specifications.

- 2. Tender No. 12(36)01/ FMTr/2019/D(P)/663/ D(P-S) Cell for the Supply of 100 W Digital Compatible VHF FM Solid-State MOSFET Technology Based Broadcast Transmitter in (1+1) configuration alongwith pre-wired Rack including Programme Input & Monitoring equipments and other associated equipments/ items-
- A. M/s Arraycom (India) Ltd letter No. AIL/AIR/FMTx/QSC/2K19 dated 01.08.2019-

Reply of DG:AIR -

- Section II Para 2.18: Remote control and Telemetry System Amendment not required
- ii. Annexure I : Inspection Details Amendment not required
- iii. Section I, Para 1.9, Delivery Period of Equipments Amendment not required
- Tender No. 12(33)10/Processor/ 2019/D(P)/661/D(P-S) Cell for the Supply of Stereo FM Digital Audio Broadcast Processor-
- A. M/s Inovonics Inc. letter No. Ref:INOVO-LT-DGAIR/AP/160 dated 16.08.2019-

Reply of DG:AIR - No change is required

(हृदेश क्मार/ Hirdesh Kumar)

उप निदेशक (अभि.)/ Dy. Director (Engg.)

कृते महा निदेशक आकाशवाणी/for Director General: All India Radio E-mail: <u>depurchase@prasarbharati.gov.in</u>

Tele:-011-2342 1040