

प्रसार भारती

Prasar Bharati

भारत का ओक सक प्रसारक

India's Public Service Broadcaster कार्यालय अपर महानिवंशक (अभि.) (एतमे श्राप्र)

Office of the Additional Director General (E) (NZ) आकारवाणी एवं दुरद्शंत

Akashwani & Doordarshan

अघटका ताल, स्थाना भवन, सी जी ओ कोम्प्सबन, नई दिल्ली 110003

8th floor, Soochua Bhawan, CGO Complex, New Delhi-140003



Dated: 27.01.2025

AIR-Co/Agra/2V/3/2024-25/Instt/(acoustic vinyl flooring & painting work)

Subject: Dismantling of existing PVC flooring & providing, laying and fixing of 4.0mm thick acoustic vinyl flooring (Roll Type) and painting work in studios at Akashvani Agra (UP).

- 1. The budgetary quotation of the upcoming bid is enclosed herewith to offer comments, if any by prospective bidders/firms
- 2. Bidders/firms are requested to provide information about content in respect of scope along with budgetary quote.
- 3. Bidders/firms may please submit the above detail on or before due date by e-mail to bcbelwal@prasarbharati.gov.in or at following address.

B. C Beiwal

Assistant Director (Enga.)

Room No. 899-B.

O/o ADG (E)(NZ)

Akashvani & Doordarshan.

8th floor, CGO Complex.

Soochna Bhawan, New Delhi-110003

Mob No.: 09868539587

e-mail id: bcbelwal@prasarbharati.gov.in

Budgetary Quotation for: Dismantling of existing PVC flooring & providing, laying and fixing of

4.0mm thick acoustic vinyl flooring (Roll Type) and painting work in

studios at Akashvani Agra (UP).

Due Date to budgetary offers & comments: 03.02 2025

Enclosed:

Budgetary Quotation form & drawings of the upcoming bid is enclosed herewith to offer 1. comments, if any by prospective bidders/firms.

> Assistant Director (Engg.) For Add: Director General (NZ)

सहायक निदेशक (अभि.)



प्रसार भारती Prasar Bharati भारत का लोक सेवा प्रसारक

India's Public Service Broadcaster कार्यालयः अपर महानिदेशक (अमि.) (उत्तरी क्षेत्र)

Office of the Additional Director General (E) (NZ) आकाशवाणी एवं दूरदर्शन

Akashwani & Doordarshan आठवां तल, सूचना भवन, सी.जी.ओ. कॉम्प्लेक्स, नई दिल्ली 110003 8th floor, Soochna Bhawan, CGO Complex, New Delhi-110003



Dated: 27.01.2025

AIR-Co/Agra/2V/3/2024-25/Instt/(acoustic vinyl flooring & painting work)

Budgetary Quotation Form

Project: Refurbishing of studios under the component face-lift of DD/AIR Channels under project mode at Akashvani Agra (UP). Subject: Dismantling of existing PVC flooring & providing, laying and fixing of 4.0mm thick acoustic vinyl flooring (Roll Type) and painting work in studios at Akashvani Agra (UP).

Last date of receipt of budgetary quotation in this office: 03.02.2025 upto 12:00Hrs. Please read carefully the terms and conditions given the enquiry quotation for

S.No.	e read carefully the terms and conditions given the enquiry quotation form. Description	Qty	Rates	Amount
1.	Dismantling of existing damazed PVC tiles of size 1'x1' & Providing, Laying and Fixing of 4.0mm thick acoustic vinyl flooring (Roll type) in studios at Akashvani Agra (UP) using IS standard adhesive suitable for bonding after cleaning and making the uneven surface to even surface suitable for the said scope.	110 Sq. Mtr		
	Description of scope as per measurement taken at site:			
	Dismantling of old fixed PVC vinyl flooring, stacking of dismantled PVC vinyl flooring at suitable place decided by Station authority in the premises.			
	b. Cleaning, repairing and leveling of floor with POP mixed white cement to make the surface homogenous smooth. Masonry repair of floor at damaged position with cement, coarse sand, aggregate etc.			
	c. Providing and fixing of new 4.0mm acoustic vinyl flooring of approved color by buyer.			
	d. Adequate and fully skilled labour shall be provided to complete the scope aesthetically and on time.			
	e. Cushioning effect must be maintained to minimizes the surface noise.			
	f. Floor must be easy to clean and having low maintenance.			
	g. After laying and fixing of PVC vinyl flooring the floor must be resistant against commonly used acid, alkalis, oils, grease and floor must be Slip retardant.			
2.	Repairing of walls by dismentaling the old & damaged plastering work by providing and applying the cement sand mixture in ratio 1:4 and removing the deberys from the working area total approx- 26 Sq mtr	1 Job		
3.	Providing and applying of wall finish, putty and POP on walls to make smooth finish for premium emulsion paint	100		
	at transmission booth, music studio, Dubbing room & other technical area, after touching on comers etc. as required for water based luxury emulsion on these surfaces. Area shall be kept clean from dust etc. and all equipments in area shall be covered by PVC sheet properly for prevention from dust etc.	Sq.mtr		
4.	 a) Providing & applying 2 coats of wall primer on gypsum false ceiling and walls etc. transmission booth, music studio, Dubbing room & other technical area, after touching on comers, joints and screw heads etc. as required at Akashvani Agra (UP). 	400 Sq. mtr		
	b) Providing & applying 2-3 coats of water based luxury emulsion on gypsum false ceiling and walls surface. The area shall be kept clean from dust etc. and all equipments in area shall be covered by PVC sheet properly for prevention from dust etc. The water based luxury emulsion of reputed make and trade mark as Asian-Royale Emulsion, Dulux-Velvet Touch, Nerolac- Impressions Eco Clean/24 Carat, Berger-Silk or equivalent.			
5.	Polish:- Wooden surface to be cleaned and wooden putty to be applied and after rubbing with appropriate sand paper to smooth the surface two or more coat of wooden polish to be applied in wainscot and doors of transmission booth, music studio, Dubbing room & other technical area	60 Sq. mtr		
.6.	Providing & applying of 125mm x 125mm x 12mm POP cornice as per approved profile at all around false ceiling in transmission booth, music studio, Dubbing room & other technical area	100 R. mtr.		
	Important Note:- (Must read carefully)			
	 Akashvani Agra is a running station, studios and other technical area are available only during non working hours of station which may be in night time also. There will be limited working hours based on availability of concern studios. 			
	The offered material & adhesives for bonding acoustic vinyl flooring should be of standard quality & reputed brand.			
	 The scope is to be carried out at running station. So, the job is required to be done in coordination with the station authorities. Total working hours per day shall be decided on the availability of the studios. The bidder must be experienced in same kind of scope & shall submit documentary proof of same. 			
	Above complete scope will be carried out in presence of authorized representative of this office. Total			
	Total			
	GST@			
	Grand Total			

Note:


- Details for acoustic vinyl flooring & carpet have been provided in bid for guidance of bidder. Bidder shall required visiting the site for understanding the clear requirement of scope before submitting the offer.
- Detailed BOQ and material specifications shall be submitted along with make, model (if applicable) of all the materials including technical leaflets of OEM as per the offered design.
- Experience details of similar scope executed during last seven years shall be submitted as per general terms and condition of contract. Time of execution as per permission of engineer incharge at Akashvani Agra (UP).
- The bidder must be experienced in same kind of scope & shall submit documentary evidence with offer. The completion certificate is to be attached.
- Execution of scope has to be completed without break in service at Akashvani Agra (UP).
- Before submitting the offer tenderer must visit site and with prior permission of the site in-charge and submit confirmation of site visit. Technical details will be provided by In-charge of Site/I.O.
- The firm has to produce a list all such labour along with the address proof which are to be employed office on signing contract. The firm shall issue the identity cards to all such persons to facilitate the entry in at Akashvani Agra (UP).
- Inspection will be carried out preferably in presence of authorized representative of O/o ADG (NZ), AIR & DD, 8th floor, Soochna Bhawan, CGO Complex, New Delhi-110003.
- Any damage or misplace in equipment will have to be provided by the firm during execution.


- 3) Delivery at: Refurbishing of studios at Akashvani Agra (UP).
- 4) Consignee: Installation officer, Akashvani Agra (UP).
- 5) Completion Period: Execution/Completion of scope in good condition within 90days from the date of order.
- 6) Validity: 120days
- 7) Payment terms:
 - > 97% Payment on completion/execution of scope in good condition at site.
 - Balance payment of 03% will be paid after guarantee/warranty period of one year. However payment can be released against FDR/Account Payee Demand Draft/Banker's Cheque of equivalent amount in favour of Chief Engineer (NZ), AIR & DD, New Delhi valid for guarantee period at least.

8) Performance Guarantee/Security Deposit:

- > The firm/contractor should submit performance guarantee/security deposit in the form of FDR from a schedule commercial bank valid for one year in favour of Chief Engineer (NZ), AIR & DD, New Delhi.
- > The Performance Guarantee/Security Deposit shall be 03% of cost of the order/contract value.
- > For release of security deposit/performance security, the firm will submit his claim along with a certificate from the ultimate consignee that equipment supplied/SITC executed against this order has performed satisfactorily during its warranty/guarantee period and department have not suffered any loss/inconvenience on this account.
- 9) Declaration: We declare that all the conditions as given in the quotation form have been read by us.

Name (in capital)				
(\$	eal &	Signature	of the	Bidder)





COLOUR/FINISHES PERFORATED HARD BOARD FLAT OIL PAINT IVORY SHADE (COLDUR NO 352 AND HARD BOARD FACING OF IS-5-1978 OIL BOUND DISTEMPER IVORY SHADE (COLOUR BARE WALL NO. 352 OF IS-5-1978 TRENCH POLISH TEAK SHADE TEAK PLY FACING -----TEAK WOOD SKIRTING FLAT OIL PAINT IVORY SHADE (NO. 352) TEAK WOOD MOULDING INDUSTRIAL LAMINATE TO MATCH BACK SW. FACE PLATE DECORATIVE MOUSTRIAL LAMINATE OUTSIDE TEAK SHADE SP DOOR -TEAK PLY FRENCH POLISHED THSIDE MARBLEX TILES COUNTY PLUE PLOORING DRY DISTEMPER WORY SHADE COLOUR PERFOTILES. NO. 352. OF 18-5-1978

表示: 10.5 16 20.48 · 电对图 经代表

LE LIGHT FITTINGS DECORATIVE TYPE WITH PRISHENTS
LOUVRES AT THE BOTTOM (2x4) WITH PRISHENTS
PRO POWER POINT
SWITCH

LE LIGHT POINT

ER EQUIPMENT PORT 3 PM. 15 AMP.

FD FLAP DOOR HINGED (SIZE SEC MMY GOLMAN OPEN

NOTES IN GENERAL DRG NO. 5%-100 60 / MAY BE REFERENT TO FOR SECTIONAL DETAILS

OF CEILING TREATMENT

Z THE SPACING OF CEILING BATTENS SHOWN IN THIS DRO IS FOR GUIDANCE
ONLY. THIS MAY BE SUITABLY MODIFIED AT SITE DEPENDING DIOMETHE SIZE
OF MATERIAL AVAILABLE.

3 COVE IS TO BE FIXED TO COVER GAP BETWEEN PANEL AND WALL. A THE SKIRTING OF BLANK WALL SHALL BE FIXED OVER 25 (D) X 50 (W) BATTEN WORK FOR SKIRTING BELOW TREATED AREA DEGING SG - 1000-1: MAY BE

FOLLOWED.


5. FOR DETAILS OF ASSOCIATIC PANELS REFER TO DEG. NO. SA. 97 92.

6. THE ACOUSTIC PANEL SHALL BE FABRICATED ON THE FLOOR AND FIXED TO THE WALL WITH THE WOODEN GUTTIES AT FOUR PLACES ON EACH SIDE OF THE


THE PER DESCRIPTION SOLVED PROOF DOOR OPENING ON THE CORRIDOR SIDE SHALL BE AS PER DESCRIPTION SOLVED FOR ESTIMATES ONLY


THE OPENIED OF SCALE: 1:50 EDITIES/DUBLIES APPROVED

NO. SA993



	LOW FRESUE PER FOR ATE 150 mm X 50 75 mm X 50 75 mm X 2 5 100 mm X 100	WAR AND THE REST OF THE REST O	FLOOR ASTER ASTER AND HAP	A00/5770 78	and the second s		
	MOY ABSORBER (LEA) TEAR P MARD BOARD (F.H.B) FACING AN WOOD SKIR TING (SK) MONT TEAK OR DEOLD'S WOOD R MONT SAL WOOD BEAM	PARTY WALKET-LEVEL OUT SIDE DECORATIVE IND. PERAMIC PAREL P	SAN TEACH FOR MAN A THE SOLOR OF THE SOLOR O		XE X 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		DW-P-R 1.23 SW-GRAK(RECENT)
		DOSTRUAL LAMINATE TEAN SHADE NSTRUAL LAMINATE TEAN SHADE AK PLY, FRENCH POLISHED ST. TEAN SHADE (15T QUALITY) PALE CREAM	10 20 20 20 20 20 20 20 20 20 20 20 20 20	A CONTRACTOR OF THE PROPERTY O		7000	EXC. 50 K X V V X REVAN 5/AL ROYAL
	V. CEPLECTE O PLAN O	50 No. 150 No.				SIC AIR	
	TALSE CEILING		Fo 305 375 Fo				FIRST OCH ONLY
	610 610 610 915	3000	3000	Z A1	300 0	600 600 600	
The state of the s	CONSTRUCTION DEW			SW 150 SW 150 SW 6			
A THE PROPERTY OF THE PROPERTY	S OF FALSE CEILING		E6 610 305 205 610 EQ			SARO	
SCALE TISS SOUND LOST OF AND AND LOST OF AND AND LOST OF AND	CHO BATE TORE EXAMPLE SON	THE SPACE OF MATERIAL ANALYS OF ANDRESS STATES OF ANDRESS OF AND STATE OF STATES OF AN THE STATE OF MATERIAL MODIFIES AND STATE OF STATES OF ANALYSIS OF AN ALLSE OF MATERIAL ADDITION AND ALLSE OF MATERIAL AND THE STATE OF STALLING HOOMS & BLOWN REFER DORS OF STALLING HOOMS AND STALLING HOOMS OF	THE STATE THE THE THE THE THE THE THE THE THE T	AN BALAST NETE GODWAY SOUTH	COVE MOST TO ARROUND EDGES A CORS SQ-100 COVE MOST OF THE BOTTONS SQ-100 COVE MOST OF THE BOTT		
SVE.							





E 007 CC 20 CC 30 CC

CONTRACTOR STATE OF THE CONTRACTOR OF THE CONTRA

* 7000

4 3 5

X 0

4 (H 10 TEN CONTO

であっているか

ACT TO STATE OF THE PARTY OF TH


TOTAL TOTAL TEST OF THE PARTY O

COPE OF ACCOUNT

0

() エ | |

To the second



BOOTH TALKS STUDIO

<u>(1)</u>

> 73

TAPE LUE

N A

7502

25 Z

4 2 6

75.75

9 201

(2) PEL MET CONTRIN OF THE DOOR SHALL DSP 0 4061

FOCIOPY SINESPO

AMELIES DES TOPPOSITORS

ිල ්

0

すちのか、からの

1m 0m 2n

ファスト

ACOUSTIC TREATMENT

OATOCTATED D

当がチャニカカで

の可引いなどで カガイ はっぱい くどの

io Os

\$3 1/4 1/4

ジグーキス

NATE OF 7 公司

OF FLA

SE DECISION AT STED

DRUMO SA-9929

7

75 mm x 25 mm

SHE THE THE PARTY OF T បី ំ 8 1 5 1 5 M

DATE BRIEF RECOR

A CONTRACTOR

TEAR WOOD MORES WITH RELEVA 7 7 -4 NO WORK OF TWO INTO TEAT OF TARE プロのの方とは、中のでは、大のから てのこれ十万一人 OF HONOR TO A AT, PALC CREAT しというとう 中国人民教師 可入し PAUE CRECIA, 6 :-Ž 7 ATPOL ZO ANN 不 學 人名 桑木 である。 有対ボンズ 7.5

化多分的 的复数山下的 **医** (1) (1) (2) 7 「DATEM 女子本の

70

9

7

-E G OPEN MODILIDA いてこのア のののできましては、土下の世のことのないとないない 三十 四万三万 中心心理

NO AT SHOW TO DEPT TO THE STORE OF SATISFIES OF SATISFIES OF SHOW TO THE SHOW A ACCURATE TANGETON 7.7 0 0 8 2 公司 送班 とうきん ぜつい

ON THE TOTAL OF I KE OFFI PRODUCT STORE OF SELECTION OF SECURIAL エタングできるが ा । । । ं ं च ७ TO SAN BE STORED

sa.


TOR ESTIMATE ASSESSED ALL TORRESTED ASSESSED AND ALL TORRESTED ASSESSED ASS 0


Y I

50


AUDITION BOUTH
APPROVED
NO. 14 90 24 90 26

	K OR BEODYS	NOY ABSORBER (LEANTEAN PLY FACING NO HARD BOARD (P.A.B.) FACING N. WOOD SKIR TING (SK)	OUT SIDE DECORATIVE INDUSTRIAL ZAMINATE, OUT SIDE DECORATIVE POLISH, TEAK SHADE ENAMEL PARK (15T. QUALITY) F COLOUR NO. 35% OF 15-5-1979	ACOT-LEVEL POLISH, FRENCH POLISH, FRENCH POLISH,	XATERIAL BOARD FRAT OF FARE OF FARE OF FARE OF FRANCE OF			XEX TOTAL STATE			COMP. ROOM Swinge Ar Room Room
	AUTO DIAZ OF TA		TEAN SHADE OLISHED OLISHED OLISHED	07 (3.1978) 150 MM (3.180 MM) (3.180 MM)		305 30					REPARSAL ROSS
The state of the s	610 610 610 610 610 610 610 610 610 610	QQ (Q (S))	30	PAMELLING AS STA		1070 BN 1070 3000	3000 A1 5 7 3 A1 4 4	300			
155 (155) was a constructed of the construction of the constructio	CONSTRUCTIONAL DETAILS OF FAL	E6 600					SX SX	E Company of the comp	1. 15. \(\tag{5} \)		
75.5	TRE CEILLING FOR ECH NATES OF A CHO		THE SIZES OF NATIONAL AVAILABLE 4. PHE SHALL BE OF NOT LESS THE TWO DEN AD (RETWEEN 7% TO 9 %) 5. FOR LAYOUT OF SELLIES HOOKS & BENNEY REFER DRO 114, 58-9075	CHARLES TO SAGE OF SAG		610 F9	XXCOS	C COVE MOS TO ARROCADED SEX	ORICE ACTORY	SYMBOLS AND DETAILS WITH BY LEVAN SONS	





等 级本 营养



SAND SER JOSEPH CONTRA

* 0000

7) ()

世まであっていると

+ W to

丁] ○ ブ

DAG.

ACT STATES

A TORNE TELEVISION AND A

71


Core of Apa Cac Se


() () ()

THE STATE OF STATE OF

TOTAL STATE

ON STORY OF THE





1 26 KV

TAMES YOU

SEACH OF SEAL TENEST: A MESSON ACTIONS AND ACTION OF THE AREA OF (D) 60 60 60 1 915 A 150 ME(TEAK SHACE) TO ACT OF BELLEVILLE 000 77 0000

医多种 短线

